# CHEMICAL EQUIPMENT LABS, INC Snow Shield Purple Solid Commercial Deicer Safety Data Sheet

# Section 1: IDENTIFICATION

#### **PRODUCT IDENTIFIER**

**Snow Shield White** Solid Commercial Deicer

# **RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE**

Deicing/anti-icing highways, bridges, parking lots, and other pavements.

## DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address:	Chemical Equipment Labs, Inc.	
	3920 A Providence Road	
	Newtown Square, PA 19073	
Contact Information:	Telephone: 610-497-9390	
	Email: ERM@CHEMICALEQUIPMENTLABS.COM	
	Website: Chemicalequipmentlabs.com	

#### EMERGENCY TELEPHONE NUMBER

CHEMTREC (800) 424-9300 Outside continental USA (703) 527-3887

# Section 2: HAZARD(S) IDENTIFICATION

# CLASSIFICATION ACCORDING TO OSHA HAZCOM 2012

Hazard Class Not classified as hazardous

# LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

There are no OSHA required label elements for this product.

# **CLASSIFICATION ACCORDING TO WHMIS (Canada)**

Hazard Class	Not controlled
WHMIS Hazard Symbols	Not applicable
WHMIS Signal Word	Not applicable

#### **POTENTIAL HEATH EFFECTS**

Eye Contact	May cause temporary eye irritation. Corneal injury is unlikely.	
Skin Contact	Repeated contact may cause slight skin irritation or dry skin.	
Inhalation	may cause irritation or coughing.	
Ingestion	Ingestion of large quantities may cause nausea, vomiting, diarrhea and	
	abdominal discomfort.	
Effects of repeated exposure	No effects other than described above are expected.	

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

# COMPOSITION:

Snow Shield White is a blend of four ice melting chemicals.

#### MIXTURES

Ingredient	CAS No	Wt. %
Sodium Chloride	7647-14-5	90% - 95%
Calcium Chloride	10043-52-4	Proprietary
Magnesium Chloride	7791-18-6	Proprietary
CMA – Calcium Magnesium Acetate	76123-46-1	Proprietary

# Section 4: FIRST-AID MEASURES

## **DESCRIPTION OF FIRST AID MEASURE**

Eye	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, seek medical attention.
Skin	As a precaution, wash skin thoroughly with soap and water. Remove and wash contaminated clothing.
Inhalation	If inhaled, move to fresh are and get medical advice.
Ingestion	If swallowed, give mil or water to drink and telephone for medical advice. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

## **MOST IMPORTANT SYMPTIOMS / EFFECTS**

Еуе	May cause eye irritation. Symptoms may include temporary discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Skin	As a precaution, wash skin thoroughly with soap and water. Remove and wash contaminated clothing.
Inhalation	Inhalation of dust during handling may cause respiratory tract irritation and coughing.
Ingestion	Ingestion of large quantities may cause nausea, vomiting, diarrhea and abdominal discomfort.

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

Specific treatments	If you fell unwell, seek medical advice immediately. Show the label or safety
	data sheet to medical personnel if possible.

## Section 5: FIRE FIGHTING MEASURES

FLAMMABILITY Flash Point (close up)	Nonflammable by OSHA/WHMIS criteria
Auto Ignition	Not applicable
EXTINGUISHING MEDIA Suitable Extinguishing Media	Water, carbon dioxide, or dry chemical. Use extinguishing media appropriate for surrounding materials.
Unsuitable Extinguishing Media	Not applicable
SPECIAL HAZARDS Hazardous Combustion Products	Normal combustion forms carbon dioxide and water
Explosion Limits	Data not available. Not considered to be explosion hazard.
Unusual Fire Hazard	None expected

# SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIERFIGHTERS

#### **Special Protective Equipment for Firefighters**

Wear NIOSH approved self-contained breathing apparatus (SCBA) with positive air pressure.

wetted parts consisting of galvanized steel, zinc, or brass components.

# Section 6: ACCIDENTAL RELEASE MEASURES

## PERSONAL PRECAUSTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Avoid eye/skin contact with spilled material. Refer to Section 7 for additional handling precautions

Methods for Containment	If material is dissolved, contain and/or absorb spill with inert material (e.g. sawdust, sand, vermiculite).
Methods for Cleaning-UP	Scoop up material and transfer to disposal container. If needed, was spillage area with plenty of water.

## Section 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HAND	ING Avoid eye contact. Avoid breathing dust when handling.
PRECAUTIONS FOR SAFE STORA	GE, INCLUDING ANY COMPATIBILITIES
Storage	Store in tightly sealed original containers, away from direct heat and strong oxidizing agents. Do not store or handle product in systems constructed of

# Section 8: CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS	
TWA PEL:	No specific limits have been established for this product. As a guideline, OSHA (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates Not Otherwise Regulated (PNOR): 8-hour TWA of 15mg/m3 (total particulate) and 5 mg/m3 (respirable fraction).
TWA TLV:	No specific limits have been established for this product. As a guideline, ACGIH (United States) has established the following limits which are generally recognized for inert or nuisance dust. Particulates (insoluble) Not Otherwise Classified (PNOC): 8- Hour TWA limits of 10 mg/m3 (as total dust) and 3 mg/m3 (as respirable)
EXPOSURE CONTROLS	
Engineering Controls	No special ventilation is usually necessary; however if operating conditions create high concentration of this material, special ventilation may be needed to keep exposure to airborne contaminants below the exposure limit.
INDIVIDUAL PROTECTIVE MEAS	URES/PERSONAL PROTECTIVE EQUIPMENT
Eye Protection	Safety glasses or goggles are recommended if eye exposure to product or dust is possible.
Skin Protection	Chemical-resistant gloves and clothing should be used if prolonged exposure is possible to prevent drying of skin.
Respiratory Protection	Breathing of dust should be avoided. If operating conditions create high airborne concentrations of this material, the use of an approved respirator is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Pure White salt crystals with white calcium pellets added.
ODOR	Odorless
ODOR THRESHOLD	No data available
Ph (20°C, 68°F)	8-10 (10% aqueous solution)
MELTING POINT	Decomposes
BOILING POINT	Not applicable
FLASH POINT	Not applicable
EVAPORATION RATE	No data available
FLAMMABILITY/EXPLOAION LIMITS	Not applicable
VAPOR PRESSURE (20°c)	Not applicable
VAPOR DENSITY (AIR = 1)	Not applicable
RELATIVE DENSITY	No data available
SOLUBILITY IN WATER	Partially soluble
PARTITION COEFFICIENT; n-OCTANOL/WATER	No data available
AUTO-IGNITION TEMPERATURE	No data available
DECOMPOSITION TEMPERATURE	No data available
VISCOSITY (20°C)	Not applicable
OXIDIZING PROPERTIES	Not oxidizing
EXPLOSIVE PROPERTIES	Not explosive

# Section 10: STABILITY AND REACTIVITY

#### REACTIVITY

No dangerous reactions known under conditions of normal use.

#### **CHEMICAL STABILITY**

Stable. Polymerization will not occur.

#### **POSSIBLITY OF HAZARDOUS REACTIONS**

Avoid prolonged contact with reactive metals such as magnesium and zinc, especially in closed systems where hydrogen gas from the oxidation of these materials may accumulate over time.

#### **INCOMPATIBLE MATERIALS**

Strong oxidizing agents; strong acids.

# HAZARDOUS DECOMPOSITION PRODUCTS

May decompose into oxides of carbon.

#### Section 11: TOXICOLOGICAL INFORMATION

#### **ACURTE TOCICITY**

LD50 rat-oral: 300 mg/kg LC50 rat-inhalation: >5000 mg/m3 LD50 rat-dermal: >5000 mg/kg Dermal irritation rabbit: Non-irritating Ocular irritation rabbit: Moderate redness/discharge and some swelling of iris at 1 hr.; insignificant signs of irritation at 24 hr.; all signs cleared at 72 hr. Sub-chronic oral: No effects after 28 consecutive days dosing at 100 mg/kg/day.

## LIKELY ROUTES OF EXPOSURE

Skin contact, eye contact, ingestion

#### SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL, AND TOXICOLOGICAL CHARACTERISTICS

Eye	May cause eye irritation. Symptoms may include temporary discomfort or pain,
	excess blinking and tear production, with possible redness and swelling.
Skin	May cause itching or irritation of any cut or abraded skin. Symptoms of
	prolonged contact may include dry skin.
Inhalation	Inhalation of dust during handling may cause respiratory tract irritation and
	coughing. This product is not otherwise expected to be an inhalation hazard.
Ingestion	Ingestion of large quantities may cause nausea, vomiting, diarrhea and
	abdominal discomfort.

# DELAYED AND IMMEDIATE EFFECTS AND CHRONIC EFFECTS FROM SHORT- AND LONG-TERM EXPOSURE/NUMERICAL MEASURES OF TOXICITY

Skin Corrosion/Irritation Serious Eye Damage/Irritation Respiratory or Skin Sensitization	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any ingredients that are considered to be carcinogens by IARC, NTP, or OSHA.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
STOT-Single Exposure	Based on available data, the classification criteria are not met.
STOT-Repeated Exposure	Based on available data, the classification criteria are not met.
Aspiration Hazard	Based on available data, the classification criteria are not met.

## Section 12: ECOLOGICAL INFORMATION

#### **ECOTOXICITY (AQUATIC AND TERRESTRIAL)**

Not expected to cause long-term adverse effects in the aquatic or terrestrial environments.

#### PERSISTANCE AND DEGRADABILITY

Readily biodegradable. COD (TOD): 0.75 g O2/g deicer; BOD20 (2°c): 0.40 g O2/g deicer, BOD20 (10°C): 0.67

#### **BIOACCUMULATIVE POTENTIAL**

Bioaccumulation is not expected.

#### Section 13: DISPOSAL CONSIDERATIONS

## WASTE TREATMENT AND METHODS OF DISPOSAL

Based on available information, this product is neither listed as a hazardous waste nor does it exhibit any of the characteristics that would cause it to be classified as a characterized waste under RCRA. This product may be absorbed onto suitable materials and disposed of in a sanitary landfill unless local, state, or provincial regulations prohibit such disposal.

#### Section 14: TRASPORT INFORMATION

#### **TRANSPORT INFORMATION**

Not regulated as dangerous goods per US DOT or IATA.

## Section 15: REGULATORY INFORMATION

#### **INVENTORY LISTS**

All of the components in this product are on the following inventory lists: USA (TSCA), Canada (DSL/NDSL), Europe (EINECS)

## TSCA SECTION 12(b)

None of these chemicals in this are listed under TSCA Section 12(b).

# **CERCLA HAZARDOUS SUBSTANCES**

There is no CERCLA Reportable Quantity for this material

#### SARA 311 CATEGORIES

Immediate (Acute) Health Hazard:	Yes
Delayed (Chronic) Health Hazard:	No
Fire Hazard:	No
Sudden Release of Pressure Hazard:	No
Reactivity Hazard:	No

#### SARA 313

None of the components in this product are subject to reporting under SARA Section 313.

#### **CLEAN WATER ACT**

None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

# STATE RIGHT-TO-KNOW

This product does not contain components at levels which are required to be reported under the statues of the following: PA, MA, MN, and NJ.

This product does not contain materials known to the State of California (Proposition 65) to cause cancer and/or reproductive harm at levels which would require a warming under the statue.

NFPA 704				
Health	1			
Fire	0			
Physical Hazard	0			
Hazard Rating: 0-4 0-least hazardous; 4-most hazardous				

HMIS – Hazardous Materials Identification System		
Health	1	
Fire	0	
Physical Hazard	0	
Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = serious, 4 = severe		

## Section 16: OTHER INFORMATION

#### **SDS REVISION DATE**

Revision date: September 15, 2016

Expiration date: September 15, 2019

Latest version of this SDS can be obtained from Chemical Equipment Labs, Inc.

#### NOTE TO EMPLOYER

This Safety Data Sheet contains environmental, health and toxicology information for your employees. Please ensure this information is provided to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this SDS must be given to the buyer or the information incorporated in you SDS. Discard any previous edition of this SDS.

#### DISCLAMIER

The above information is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use or misuse are beyond our control, Chemical Equipment Labs, Inc. makes no warranty, either express or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for the reliance thereon. Chemical Equipment Labs, Inc. assumes no responsibility for any injury or loss resulting from the use of the product described herein. User should satisfy himself that he has all current data relevant to his particular use.

# End of Safety Data Sheet